Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 282 (2004) 389–394
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 282

Ahn, G.Y., S.-I. Park, I.-B. Shim and C.S. Kim, Mössbauer studies of ferromagnetism in Fe-doped ZnO magnetic semiconductor 166
Ahn, G.Y., see Kim, J.H. 295
Ahn, G.Y., see Park, S.-I. 321
Ahn, S.W., S.G. Min, H.J. Kang and S.K. Oh, Electron spin–spin relaxation in dilute magnetic semiconductor $Zn_{1-x}Mn_{2+x}As_2$ 163
Aktsipetrov, O.A., see Fedyanin, A.A. 256
Ando, Y., see Han, X.F. 225
Andrzejewski, B., see Luciński, T. 248
Anisul Haque, S., M. Yamamoto, R. Nakatani and Y. Endo, Binary logic gates by ferromagnetic nanodots 380

Baek, J.S., see Kwon, D. 240
Baek, J.S., see Kim, H.K. 244
Baek, J.S., see Cho, Y.M. 385
Bass, J., see Urazhdin, S. 264
Bauer, A., G. Meyer, T. Crecelius, I. Mauch and G. Kaindl, Magnetic stripe domains in ultrathin films and their transformation in magnetic fields 252
Becker, A., see Brückl, H. 219
Bi, H., see Li, S. 202
Brinkmann, D., see Brückl, H. 219
Brückl, H., M. Brzeska, D. Brinkmann, J. Schotter, G. Reiss, W. Schepper, P.-B. Kamp and A. Becker, Magnetoresistive logic and biochip 219
Brzeska, M., see Brückl, H. 219
Buntinx, D., see Temst, K. 6

Chan, C.K., see Hwang, C.C. 360
Chang, C., see Lai, M.-F. 135
Chang, C.-R., see Wei, Z.-H. 11
Chang, C.C., Y.C. Chang, J.C. Wu, Z.H. Wei, M.F. Lai, C.R. Chang and J.H. Kuo, Size effects on switching field of ring-shaped permalloy elements 351
Chang, C.M., see Hwang, C.C. 360
Chang, C.R., see Chang, C.C. 351
Chang, F.L., see Yu, C.C. 65
Chang, H.C., see Chen, S.K. 198
Chang, H.W., see Chiu, C.H. 186
Chang, S.C., see Lin, S.W. 28
Chang, T.Y., see Hwang, C.C. 360
Chang, W.C., see Chiu, C.H. 186
Chang, W.C., see Chen, S.K. 198
Chang, W.J., see Lin, J.-Y. 237
Chang, Y.-H., H.-W. Lin and G. Chen, Compensation on Hall effect sensor of PWM switching control 307
Chang, Y.C., see Chang, C.C. 351
Chao, S., see Hung, C.C. 373
Chao, Y.C., see Hsu, H.S. 88
Chao, Y.C., see Fu, C.M. 283
Chau, N., see Duc, N.H. 44
Chau, N., N.X. Chien, N.Q. Hoa, P.Q. Niem, N.H. Luong, N.D. Tho and V.V. Hiep, Investigation of nanocomposite materials with ultrasoft and high performance hard magnetic properties 174
Chen, F.F., see Lin, C.Y. 156
Chen, G., see Chang, Y.-H. 307
Chen, J.H., see Lee, Y. 15
Chen, J.M., see Lin, J.-Y. 237
Chen, J.S., see Zhao, Z.L. 105
Chen, M.J., see Tsai, C.S. 57
Chen, S.K., F.T. Yuan, S.N. Hsiao, H.C. Chang, C.Y. Liou and W.C. Chang, Thickness dependence of longitudinal coercivity in Fe–Pt–Al thin films 198
Chen, W., see Zhong, W. 151
Chen, W.C., see Lai, C.-H. 96
Chen, Y.T., see Tsay, J.S. 81
Chen, Y.-Y, see Kuo, Y.-K. 338
Cheng, C.-L., see Ma, Y.-R. 61
Cheng, K.-W., see Ma, Y.-R. 61
Cheng, S.F., P. Lubitz, Y. Zheng and A.S. Edelstein, Effects of spacer layer on growth, stress and magnetic properties of sputtered permalloy film 109
Cheng, S.P., see Hwang, C.C. 360
Cheng, W.C., see Yu, C.C. 65
Cheng, W.C., see Tsay, J.S. 81
Cheng, Y., see Farrell, D. 1
Chern, G., see Wang, K.M. 73
Chiang, T.-S., see Liu, C.-T. 346
Chien, C.-H., S.H. Chiou, G.Y. Guo and Y.-D. Yao, Electronic structure and magnetic moments of 3d transition metal-doped ZnO 275
Chien, N.X., see Chau, N. 174
Chin, T.S., see Yu, C.C. 65
Chin, T.S., see Tsay, J.S. 78
Chin, T.S., see Lin, C.Y. 156
Chiou, S.H., see Chien, C.-H. 275

doi: 10.1016/S0304-8853(04)01001-7

Chiu, C.H., H.W. Chang and W.C. Chang, Effect of Fe substitution by Ti or Nb/V/Zr on phase stability and magnetic properties of $Pr_2Fe_{23}(B, C)_3$ ribbons 186
Cho, M.S., see Lim, S.T. 170
Cho, Y.M., S.S. Yu, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and B.T. Lee, Annealing effect on magnetic and electronic properties of polycrystalline $Ge_{1-x}Mn_x$ semiconductors grown by MBE 385
Choi, H.J., see Lim, S.T. 170
Choo, W.K., see Kwon, D. 240
Choo, W.K., see Kim, H.K. 244
Chou, S.C., see Yu, C.C. 65
Chu, Y.C., see Yu, C.C. 65
Crecelius, T., see Bauer, A. 252

Daibou, T., see Han, X.F. 225
Dia, J.E., see Hsu, H.S. 88
Ding, J., see Zhao, Z.L. 105
Ding, J., see Wang, Y.C. 211
Ding, J., see Fan, W. 325
Ding, Y., see Farrell, D. 1
Du, Y., see Li, S. 202
Du, Y.W., see Tang, N.J. 92
Du, Y.W., see Zhong, W. 151
Du, Y.W., see Zhang, F.M. 216
Duan, W., see Fan, W. 325
Dubowik, J., see Stobiecki, F. 32
Duc, N.H., D.T. Huong Giang and N. Chau, Nanostructure and magnetization reversal process in $TbFeCo/Y_x(FeCo)_{1-x}$ spring-magnet type multilayers 44

Edelstein, A.S., see Cheng, S.F. 109
Endo, Y., see Anisul Haque, S. 380

Fan, W., J. Ding, W. Duan and Y.M. Zhu, The influence of magnetic fields exposure on neurite outgrowth in PC12 rat pheochromocytoma cells 325
Fang, C.-H., see Wang, S.-J. 355
Fang, Y., see Zhu, M. 180
Farrell, D., Y. Cheng, Y. Ding, S. Yamamuro, C. Sanchez-Hanke, C.-C. Kao and S.A. Majetich, Dipolar interactions and structural coherence in iron nanoparticle arrays 1
Fedyanin, A.A., O.A. Aktsipetrov, D. Kobayashi, K. Nishimura, H. Uchida and M. Inoue, Enhanced Faraday and nonlinear magneto-optical Kerr effects in magnetophotonic crystals 256
Fritzsche, H., see Temst, K. 6
Fu, C.M., Y.C. Chao, S.H. Hung, C.P. Lin and J. Tang, Impedance spectra of field-aligned CrO_2 needle-shape powders 283
Fu, C.M., see Hsu, H.S. 88

Gao, J., see Zhang, F.M. 216
Gierlings, M., see Temst, K. 6
Gou, Y.S., see Lin, J.-Y. 237
Gu, B., see Li, S. 202
Guo, G.Y., see Wang, Y.K. 139
Guo, G.Y., see Chien, C.-H. 275
Guo, G.Y., see Jiang, X. 287
Guo, M.S., see Lee, Y. 15
Guo, Y., see Zhu, M. 180
Gupta, A., see Sharma, P. 115

Han, B., see Zhu, M. 180
Han, B., see Shi, Y. 317
Han, B.-S., see Wen, Q.-Y. 100
Han, X.F., H.L. Liu, E.J. Jin, M. Ishizone, M. Oogane and H. Kato, Crystallographic and magnetic properties of $Ho_3Fe_{29-x}T_x$ (T = V and Cr) 206
Han, X.F., S.F. Zhao, F.F. Li, T. Daibou, H. Kubota, Y. Ando and T. Miyazaki, Switching properties and dynamic domain structures in double barrier magnetic tunnel junctions 225
Harii, K., E. Saitoh, H. Miyajima and T. Yamaoka, Electric detection of helicity in a ferromagnetic mesoscopic ring 19
Harii, K., see Saitoh, E. 25
Hiep, V.V., see Chau, N. 174
Ho, H.Y., C.L. Tzeng, C.W. Su and C.S. Shern, Enhancement of magneto-optical Kerr effect for Co ultra-thin film on Pt(1 1 1) with Ag buffer layer 69
Hoa, N.Q., see Chau, N. 174
Horng, L., see Wang, K.M. 73
Hsiao, S.N., see Chen, S.K. 198
Hsieh, L.C., see Huang, Y.W. 279
Hsu, H.S., C.M. Fu, J.E. Dia, Y.C. Chao, H.S. Hung and J.C.A. Huang, On the characterization of discontinuous $Co_{80}Fe_{20}/\alpha$-Fe_2O_3 multilayers by AC impedance technology 88
Hsu, L.-Y. and M.-C. Tsai, Tooth shape optimization of brushless permanent magnet motors for reducing torque ripples 193
Hsu, Y.J., see Wei, D.H. 49
Hu, S.F., see Lin, S.W. 28
Huang, C.L., see Lue, C.S. 334
Huang, D.R., see Huang, Y.W. 279
Huang, J.C.A., see Hsu, H.S. 88
Huang, J.H., see Huang, Y.W. 279
Huang, T.-W., Y.-H. Huang, T.-H. Tu and C.-H. Lee, X-ray diffraction and absorption spectroscopy studies of the structure of self-assembled FePt nanoparticles during annealing 127
Huang, W.-N. and C.-C. Teng, A simple magnetic refrigerator evaluation model 311
Huang, W.-N. and C.-C. Teng, A simple reluctance-based efficiency control strategy taking equivalent magnetic inductance into account for the switched reluctance motor drives 364
Huang, Y.-H., see Huang, T.-W. 127
Huang, Y.W., C.K. Lo, Y.D. Yao, L.C. Hsieh, J.J. Ju, D.R. Huang and J.H. Huang, Giant magnetocurrent in silicon-base magnetic tunneling transistor 279

Hung, C.C., M.J. Kao, W.C. Lin, S. Chao, D. Tang and M.-J. Tsai, Low writing current magnetoresistive random access memory (MRAM) with side metal pillar write word line (PWWL) 373
Hung, D.S., see Tsai, C.S. 57
Hung, H.S., see Hsu, H.S. 88
Hung, S.H., see Fu, C.M. 283
Huong Giang, D.T., see Duc, N.H. 44
Hütten, A., see Luciński, T. 248
Hwang, C.C., C.M. Chang, S.P. Cheng, C.K. Chan, C.T. Pan and T.Y. Chang, Comparison of performances between IPM and SPM motors with rotor eccentricity 360

Ihm, Y.E., see Kwon, D. 240
Ihm, Y.E., see Kim, H.K. 244
Ihm, Y.E., see Cho, Y.M. 385
Inaba, K., see Zhao, Z.L. 105
Inomata, K., S. Okamura and N. Tezuka, Tunnel magnetoresistance using full-Heusler alloys 269
Inoue, A., see Sharma, P. 115
Inoue, M., see Sasaki, Y. 122
Inoue, M., see Fedyanin, A.A. 256
Ishizone, M., see Han, X.F. 206

Jan, N.T., see Lin, S.W. 28
Jang, I.B., see Lim, S.T. 170
Jeng, H.-T., see Wang, Y.K. 139
Jeong, J.-R., see Lee, S.-J. 147
Jeyadevan, B., see Sasaki, Y. 122
Jiang, H.Y., see Tang, N.J. 92
Jiang, H.Y., see Zhong, W. 151
Jiang, X. and G.Y. Guo, First-principles studies of the electronic structure and magnetism in fayalites: M_2SiO_4 (M = Fe and Co) 287
Jiang, X., see Shi, Y. 317
Jiang, X.-D., see Wen, Q.-Y. 100
Jin, E.J., see Han, X.F. 206
Jonckheere, R., see Temst, K. 6
Ju, J.J., see Huang, Y.W. 279
Juang, J.Y., see Lin, J.-Y. 237

Kaindl, G., see Bauer, A. 252
Kamp, P.-B., see Brückl, H. 219
Kang, H.J., see Ahn, S.W. 163
Kao, C.-C., see Farrell, D. 1
Kao, M.J., see Hung, C.C. 373
Kato, H., see Han, X.F. 206
Keun Kim, Y., see Kim, T. 232
Khiem, N.V., see Phan, T.L. 299
Kim, C.S., see Ahn, G.Y. 166
Kim, C.S., see Kwon, D. 240
Kim, C.S., see Kim, H.K. 244
Kim, C.S., see Lee, H.M. 291
Kim, C.S., see Kim, J.H. 295
Kim, C.S., see Park, S.-I. 321
Kim, C.S., see Cho, Y.M. 385
Kim, D., see Kwon, D. 240
Kim, D., see Kim, H.K. 244
Kim, D., see Cho, Y.M. 385
Kim, H., see Kwon, D. 240
Kim, H., see Kim, H.K. 244
Kim, H., see Cho, Y.M. 385
Kim, H.K., D. Kwon, J.H. Kim, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and W.K. Choo, Magnetic phases in polycrystalline $Si_{1-x}Mn_x$ semiconductors grown by MBE 244
Kim, H.K., see Kwon, D. 240
Kim, J.-C., see Lee, S.-J. 147
Kim, J.-D., see Lee, S.-J. 147
Kim, J.H., G.Y. Ahn, S.I. Park and C.S. Kim, Effects of Cr doping on magnetic properties of ordered Sr_2FeMoO_6 295
Kim, J.H., see Kwon, D. 240
Kim, J.H., see Kim, H.K. 244
Kim, T., Y. Keun Kim and W. Park, Technological issues for high-density MRAM development 232
Kisielewski, M., A. Maziewski and V. Zablotskii, Description of giant changes of domain sizes in ultrathin magnetic films 39
Klein, T., see Röhlsberger, R. 329
Klik, I. and Y.D. Yao, Magnetization reversal by a field pulse 131
Kobayashi, D., see Fedyanin, A.A. 256
Kopcewicz, M., see Luciński, T. 248
Kubota, H., see Han, X.F. 225
Kuo, J.H., see Chang, C.C. 351
Kuo, Y.-K., Y.-Y Chen, L.-M. Wang and H.-D. Yang, Hall coefficient studies in $R_5Ir_4Si_{10}$ (R = Dy–Lu) near the charge–density–wave transitions 338
Kwon, D., H.K. Kim, J.H. Kim, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and W.K. Choo, Heat treatment effect on magnetic properties of polycrystalline $Si_{1-x}Mn_x$ semiconductors grown by MBE 240
Kwon, D., see Kim, H.K. 244

Lai, C.-H., W.C. Chen and Y.D. Yao, Effects of orientation and temperature on magnetoresistance of Fe/Si multilayers 96
Lai, C.-H., see Wei, D.H. 49
Lai, J.-Y., see Wei, Z.-H. 11
Lai, J.-Y., see Lai, M.-F. 135
Lai, M.-F., Z.-H. Wei, C. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai, Nonuniform magnetization reversals in elliptical permalloy dots 135
Lai, M.-F., see Wei, Z.-H. 11
Lai, M.F., see Chang, C.C. 351
Lai, W.J., see Lue, C.S. 334
Lee, B.T., see Cho, Y.M. 385
Lee, C.-H., see Huang, T.-W. 127
Lee, D.S., see Wang, K.M. 73
Lee, H.M., I.-B. Shim and C.S. Kim, Direct measurement of grain boundary resistance in granular-type magnetoresistance thin films 291

Lee, J.M., see Lin, J.-Y. 237
Lee, S.-J., J.-R. Jeong, S.-C. Shin, J.-C. Kim and J.-D. Kim, Synthesis and characterization of superparamagnetic maghemite nanoparticles prepared by coprecipitation technique 147
Lee, S.F., see Tsai, C.S. 57
Lee, Y., J.H. Chen, M.S. Guo, G.M. Liu and C.S. Lue, Structure and magnetic properties of FePt nanograins embedded in amorphous carbon films 15
Lee, Y.H., see Lue, C.S. 334
Leunissen, L.H.A., see Temst, K. 6
Li, F.F., see Han, X.F. 225
Li, J.Y., see Tsai, C.S. 57
Li, S., H. Bi, G. Xie, W. Zhong, F. Zhang, B. Gu, J. Zhang, M. Lu and Y. Du, Magnetic hardening effect of Fe_3B alloy by partial substitution of Fe by Nd 202
Li, W., see Zhu, M. 180
Lim, S.T., M.S. Cho, I.B. Jang and H.J. Choi, Magnetorheological characterization of carbonyl iron based suspension stabilized by fumed silica 170
Lin, C.-C., see Wei, D.H. 49
Lin, C.P., see Fu, C.M. 283
Lin, C.Y., T.S. Chin, S.X. Zhou, Z.C. Lu, L. Wang, F.F. Chen, M.X. Pan and W.H. Wang, Magnetic properties and glass-forming ability of modified Fe–P–Si–B bulk amorphous alloys 156
Lin, H.-W., see Chang, Y.-H. 307
Lin, J.-Y., W.J. Chang, J.Y. Juang, T.M. Wen, K.H. Wu, Y.S. Gou, J.M. Lee and J.M. Chen, Spectroscopic evidence of electron doping in $La_{0.7}Ce_{0.3}MnO_3$ 237
Lin, S.-C., see Liu, C.-T. 346
Lin, S.-K., see Wang, S.-J. 355
Lin, S.W., S.C. Chang, R.S. Liu, S.F. Hu and N.T. Jan, Fabrication and magnetic properties of nickel nanowires 28
Lin, W.C., see Hung, C.C. 373
Liou, C.Y., see Chen, S.K. 198
Liou, Y., see Tsai, C.S. 57
Liou, Y., see Ma, Y.-R. 61
Liou, Y., see Yu, C.C. 65
Liou, Y., see Ma, Y.-R. 342
Liu, B.H., see Wang, Y.C. 211
Liu, C.-T., S.-C. Lin and T.-S. Chiang, On the analytical flux distribution modeling of an axial-flux surface-mounted permanent magnet motor for control applications 346
Liu, G.M., see Lee, Y. 15
Liu, H.-L., see Ma, Y.-R. 61
Liu, H.L., see Han, X.F. 206
Liu, R.S., see Lin, S.W. 28
Liu, W., see Tang, N.J. 92
Liu, W., see Zhong, W. 151
Liu, X.C., see Zhang, F.M. 216
Lo, C.K., see Huang, Y.W. 279
Loosvelt, H., see Temst, K. 6
Lu, M., see Li, S. 202
Lu, Z.C., see Lin, C.Y. 156
Lubitz, P., see Cheng, S.F. 109
Luciński, T., P. Wandziuk, F. Stobiecki, B. Andrzejewski, M. Kopcewicz, A. Hütten, G. Reiss and W. Szuszkiewicz, Exchange interlayer coupling in Fe/Si_xFe_{100-x} and Co/Si multilayers 248
Luciński, T., see Stobiecki, F. 32
Lue, C.S., W.J. Lai, C.L. Huang and Y.H. Lee, Spin glass behavior in the $CoSi_{1-x}Al_x$ alloys 334
Lue, C.S., see Lee, Y. 15
Luong, N.H., see Chau, N. 174

Ma, Y.-R., K.-W. Cheng, C.-H. Shee, C.-C. Tsai, C.-L. Cheng, H.-L. Liu, M.S. Wong, Y. Liou and Y.-D. Yao, Effect of field power on growth of multiwall carbon nanotubes 61
Ma, Y.-R., Y. Liou and Y.-D. Yao, Pushing nanoparticles of $La_{0.7}Sr_{0.3}MnO_3$ 342
Majetich, S.A., see Farrell, D. 1
Mao, S.-H. and M.-C. Tsai, An analysis of the optimum operating point for a switched reluctance motor 53
Masuda, H., see Shimizu, M. 369
Mauch, I., see Bauer, A. 252
Maziewski, A., see Kisielewski, M. 39
Meyer, G., see Bauer, A. 252
Min, S.G., see Ahn, S.W. 163
Miyajima, H., see Harii, K. 19
Miyajima, H., see Tanaka, M. 22
Miyajima, H., see Saitoh, E. 25
Miyajima, H., see Sekiguchi, K. 143
Miyajima, H., see Shimizu, M. 369
Miyazaki, T., see Han, X.F. 225
Mizuno, M., see Sasaki, Y. 122

Nahid, M.A.I. and T. Suzuki, Magnetic and magneto-optical properties of $(FeCo)_3Pt$ alloy thin films 260
Nakatani, R., see Anisul Haque, S. 380
Nieh, H.Y., see Tsay, J.S. 78
Niem, P.Q., see Chau, N. 174
Nishimura, K., see Fedyanin, A.A. 256

Oh, S.K., see Ahn, S.W. 163
Ohta, I., see Sasaki, Y. 122
Okamura, S., see Inomata, K. 269
Oogane, M., see Han, X.F. 206
Ou, J.Y., see Wei, D.H. 49
Owens, F.J., see Sharma, P. 115

Pan, C.T., see Hwang, C.C. 360
Pan, M.X., see Lin, C.Y. 156
Park, S.-I., G.Y. Ahn, I.-B. Shim and C.S. Kim, Fe-doping effects of ferromagnetic $Zn_{0.98-x}Fe_{0.02}Mg_xO$ semiconductor 321
Park, S.-I., see Ahn, G.Y. 166
Park, S.I., see Kim, J.H. 295
Park, W., see Kim, T. 232
Phan, M.H., see Phan, T.L. 299

Phan, T.L., M.H. Phan, N.V. Khiem, N.X. Phuc and S.C. Yu, Study of spin dynamics, cluster glass and spin glass behaviors in $La_{0.5}Sr_{0.5}Co_{1-x}Fe_xO_3$ ($x=0$, 0.1) 299
Phuc, N.X., see Phan, T.L. 299
Popova, E., see Temst, K. 6
Pratt, W.P., see Urazhdin, S. 264

Rao, K.V., see Sharma, P. 115
Reiss, G., see Brückl, H. 219
Reiss, G., see Luciński, T. 248
Röhlsberger, R., H. Thomas, K. Schlage and T. Klein, A deep look into exchange-coupled films: advances through nuclear resonant scattering of synchrotron radiation 329
Röll, K., see Stobiecki, F. 32

Saitoh, E., K. Harii, H. Miyajima and T. Yamaoka, Critical phenomena in magnetic vortex formation probed by noise spectroscopy 25
Saitoh, E., see Harii, K. 19
Saitoh, E., see Tanaka, M. 22
Saitoh, E., see Sekiguchi, K. 143
Saitoh, E., see Shimizu, M. 369
Sanchez-Hanke, C., see Farrell, D. 1
Sasaki, Y., M. Mizuno, A.C.C. Yu, M. Inoue, K. Yazawa, I. Ohta, M. Takahashi, B. Jeyadevan and K. Tohji, Crystallographic structures and magnetic properties of $L1_0$-type FePt nanoparticle monolayered films stabilized on functionalized surfaces 122
Schepper, W., see Brückl, H. 219
Schlage, K., see Röhlsberger, R. 329
Schotter, J., see Brückl, H. 219
Sekiguchi, K., M. Shimizu, E. Saitoh and H. Miyajima, Differential conductance anomaly in ferromagnetic Ni nanocontacts 143
Sharma, P., A. Gupta, F.J. Owens, A. Inoue and K.V. Rao, Room temperature spintronic material—Mn-doped ZnO revisited 115
Shee, C.-H., see Ma, Y.-R. 61
Shen, Z.X., see Wang, Y.C. 211
Shern, C.S., see Ho, H.Y. 69
Shern, C.S., see Su, C.W. 84
Shi, Y., H. Zhang, X. Jiang, Q. Wen and B. Han, Design of output voltage waveform on magnetic encoder 317
Shim, I.-B., see Ahn, G.Y. 166
Shim, I.-B., see Lee, H.M. 291
Shim, I.-B., see Park, S.-I. 321
Shimizu, M., E. Saitoh, H. Miyajima and H. Masuda, Scanning Hall probe microscopy with high resolution of magnetic field image 369
Shimizu, M., see Sekiguchi, K. 143
Shin, S.-C., see Lee, S.-J. 147
Stobiecki, F., B. Szymański, T. Luciński, J. Dubowik, M. Urbaniak and K. Röll, Magnetoresistance of layered structures with alternating in-plane and perpendicular anisotropies 32
Stobiecki, F., see Luciński, T. 248
Su, C.W., see Ho, H.Y. 69
Su, C.W., Y.D. Yao and C.S. Shern, Magnetic properties of ultrathin Co/Ni/Pt(1 1 1) films 84
Suzuki, T., see Nahid, M.A.I. 260
Swerts, J., see Temst, K. 6
Szuszkiewicz, W., see Luciński, T. 248
Szymański, B., see Stobiecki, F. 32

Takahashi, M., see Sasaki, Y. 122
Tanaka, M., E. Saitoh, H. Miyajima and T. Yamaoka, Magnetization process and magnetic structure in a NiFe honeycomb nano-network 22
Tang, D., see Hung, C.C. 373
Tang, J., see Fu, C.M. 283
Tang, N.J., W. Zhong, H.Y. Jiang, X.L. Wu, W. Liu and Y.W. Du, Nanostructured magnetite (Fe_3O_4) thin films prepared by sol–gel method 92
Tang, N.J., see Zhong, W. 151
Tang, X.-L., see Wen, Q.-Y. 100
Temst, K., M.J. Van Bael, J. Swerts, D. Buntinx, H. Loosvelt, E. Popova, C. Van Haesendonck, H. Fritzsche, M. Gierlings, L.H.A. Leunissen and R. Jonckheere, Magnetization reversal in patterned structures using off-specular polarized neutron scattering 6
Teng, C.-C., see Huang, W.-N. 311
Teng, C.-C., see Huang, W.-N. 364
Tezuka, N., see Inomata, K. 269
Tho, N.D., see Chau, N. 174
Thomas, H., see Röhlsberger, R. 329
Tohji, K., see Sasaki, Y. 122
Tsai, C.-C., see Ma, Y.-R. 61
Tsai, C.S., J.Y. Li, M.J. Chen, C.C. Yu, Y. Liou, D.S. Hung, Y.D. Yao and S.F. Lee, Microwave FMR studies on ultrathin Fe/GaAs layer structures 57
Tsai, M.-C., see Mao, S.-H. 53
Tsai, M.-C., see Hsu, L.-Y. 193
Tsai, M.-J., see Hung, C.C. 373
Tsay, J.S., H.Y. Nieh, Y.D. Yao and T.S. Chin, Magnetic properties of ultrathin Co/Ag/Ge (1 1 1) films studied using surface magneto-optic Kerr effect technique 78
Tsay, J.S., Y.T. Chen, W.C. Cheng and Y.D. Yao, Magnetic properties of interfacial layers in Co/Ge(1 1 1) thin films 81
Tu, T.-H., see Huang, T.-W. 127
Tzeng, C.L., see Ho, H.Y. 69

Uchida, H., see Fedyanin, A.A. 256
Ulyanov, A.N., S.-C. Yu and D.-S. Yang, Mn-site-substituted lanthanum manganites: destruction of electron pathway and local structure effects on Curie temperature 303
Urazhdin, S., W.P. Pratt and J. Bass, Studies of DC current-driven switching in $Ni_{84}Fe_{16}/N/Ni_{84}Fe_{16}$ magnetic nanopillars with N = Cu or Cu(Pt) 264

Urbaniak, M., see Stobiecki, F. 32
Usov, N.A., see Wei, Z.-H. 11
Usov, N.A., see Lai, M.-F. 135

Van Bael, M.J., see Temst, K. 6
Van Haesendonck, C., see Temst, K. 6

Wandziuk, P., see Luciński, T. 248
Wang, J.P., see Zhao, Z.L. 105
Wang, K.M., D.S. Lee, L. Horng and G. Chern, Structural and magnetic properties of $Fe_{3-x}Mn_xO_4$ films 73
Wang, L., see Lin, C.Y. 156
Wang, L.-M., see Kuo, Y.-K. 338
Wang, S.-J., C.-H. Fang and S.-K. Lin, A flux estimation method for a permanent-magnet synchronous motor 355
Wang, W.H., see Lin, C.Y. 156
Wang, Y.C., J. Ding, J.B. Yi, B.H. Liu, T. Yu and Z.X. Shen, High coercivity Co-ferrite thin films on SiO_2 (100) substrate 211
Wang, Y.K., G.Y. Guo and H.-T. Jeng, An ab initio study of the magnetocrystalline anisotropy and magnetoelastic coupling of half-metallic CrO_2 139
Wei, D.H., Y.J. Hsu, C.-C. Lin, C.-H. Lai, J.Y. Ou and J.C. Wu, Layer- and lateral-resolved magnetization studies using photoemission electron microscopy 49
Wei, D.H., see Yu, C.C. 65
Wei, Z.-H., M.-F. Lai, C.-R. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai, Nonuniform micromagnetic states in thin circular dots 11
Wei, Z.-H., see Lai, M.-F. 135
Wei, Z.H., see Chang, C.C. 351
Wen, Q., see Shi, Y. 317
Wen, Q.-Y., H.-W. Zhang, X.-D. Jiang, X.-L. Tang, W.-L. Zhang and B.-S. Han, Enhancement of the magnetoresistance in rapid recurrent thermal annealed Co/Cu/Co/CoNbZr spin valve multilayers 100
Wen, T.M., see Lin, J.-Y. 237
Wong, M.S., see Ma, Y.-R. 61
Wu, J.C., see Wei, Z.-H. 11
Wu, J.C., see Wei, D.H. 49
Wu, J.C., see Lai, M.-F. 135
Wu, J.C., see Chang, C.C. 351
Wu, K.H., see Lin, J.-Y. 237
Wu, X.L., see Tang, N.J. 92
Wu, X.L., see Zhong, W. 151
Wu, X.S., see Zhang, F.M. 216

Xie, G., see Li, S. 202

Yamamoto, M., see Anisul Haque, S. 380
Yamamuro, S., see Farrell, D. 1
Yamaoka, T., see Harii, K. 19
Yamaoka, T., see Tanaka, M. 22
Yamaoka, T., see Saitoh, E. 25
Yang, D.-S., see Ulyanov, A.N. 303
Yang, H.-D., see Kuo, Y.-K. 338
Yao, Y.-D., see Ma, Y.-R. 61
Yao, Y.-D., see Chien, C.-H. 275
Yao, Y.-D., see Ma, Y.-R. 342
Yao, Y.D., see Tsai, C.S. 57
Yao, Y.D., see Yu, C.C. 65
Yao, Y.D., see Tsay, J.S. 78
Yao, Y.D., see Tsay, J.S. 81
Yao, Y.D., see Su, C.W. 84
Yao, Y.D., see Lai, C.-H. 96
Yao, Y.D., see Klik, I. 131
Yao, Y.D., see Huang, Y.W. 279
Yazawa, K., see Sasaki, Y. 122
Yi, J.B., see Wang, Y.C. 211
Yu, A.C.C., see Sasaki, Y. 122
Yu, C.C., Y.C. Chu, F.L. Chang, D.H. Wei, S.C. Chou, Y. Liou, Y.D. Yao, W.C. Cheng and T.S. Chin, Structure and magnetic properties of Co/Pt single- and bi-crystal multilayers 65
Yu, C.C., see Tsai, C.S. 57
Yu, S.-C., see Ulyanov, A.N. 303
Yu, S.C., see Phan, T.L. 299
Yu, S.S., see Cho, Y.M. 385
Yu, T., see Wang, Y.C. 211
Yuan, F.T., see Chen, S.K. 198

Zablotskii, V., see Kisielewski, M. 39
Zeng, Y., see Zhang, F.M. 216
Zhang, F., see Li, S. 202
Zhang, F.M., Y. Zeng, J. Gao, X.C. Liu, X.S. Wu and Y.W. Du, Ferromagnetism in Mn-doped silicon 216
Zhang, H., see Shi, Y. 317
Zhang, H.-W., see Wen, Q.-Y. 100
Zhang, J., see Li, S. 202
Zhang, W.-L., see Wen, Q.-Y. 100
Zhao, S.F., see Han, X.F. 225
Zhao, Z.L., J.S. Chen, J. Ding, K. Inaba and J.P. Wang, The effect of additive Ag layers on the $L1_0$ FePt phase transformation 105
Zheng, Y., see Cheng, S.F. 109
Zhong, W., N.J. Tang, X.L. Wu, W. Liu, W. Chen, H.Y. Jiang and Y.W. Du, Magnetocaloric effect above room temperature in the ordered double-perovskite $Ba_2Fe_{1+x}Mo_{1-x}O_6$ 151
Zhong, W., see Tang, N.J. 92
Zhong, W., see Li, S. 202
Zhou, S.X., see Lin, C.Y. 156
Zhu, M., Y. Fang, Y. Guo, W. Li and B. Han, Study of magnetic microstructures of Nd–Fe–B casting strips by using magnetic force microscope 180
Zhu, Y.M., see Fan, W. 325

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 282 (2004) 395–397
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 282

4-fold anisotropy 260
6-fold anisotropy 260

AC susceptibility 206
Additive layer 105
Ag 105
Anisotropic magnetoresistance 19
Anodic anodization 28
Array 1
Atomic force microscopy 342
Auger electron spectroscopy 81
Axial-flux 346

Backscattering 131
Bandstop (Notch) filter 57
Bicrystal 65
Biochip 219
Brushless permanent magnet motor 193
Bulk glassy metals 156

Charge–density waves 338
CMR 237
Coalescence 122
Cobalt 69
Cobalt–platinum alloys 84
Coercivity 28, 122
Coercivity enhancement 198
Co-ferrite 211
Cogging torque 193
Coherent rotation 351
Conductance quantization 143
Co/Pt 65
CoSi 334
Coupling layer 122
Critical phenomena 25
CrO_2 139
Crystallization 100
Curie temperature 303
Current-driven switching 264

Density functional theory 287
Digital signal processor 307
Dipolar interaction 1
Discontinuous thin film 88
Domain structure 180, 225
Double barrier magnetic tunnelling junction 225
Double-perovskite 151

Effect of field power 61
Electrodeposition 28
Electron configuration 303
Electron doping 237
Electron relaxation 163
Electronic structure 287
Electronic structure of intermetallic compounds 338
Emf 355
EPR 299
Equivalent magnetic inductance 364
Equivalent-circuit-method 88
Exchange coupling 174, 186, 248, 329

Fayalite 287
Fe doping 321
Fe-based amorphous alloys 156
Fe-doping 166
Fe/Si multilayer 96
FePt 15, 105, 127, 198
FePt nanoparticle 122
Ferromagnetic 166, 321
Ferrimagnetic oxide films 73
Ferromagnetic films 57
Ferromagnetic materials 143
Ferromagnetic nanodot 380
Ferromagnetic resonance frequency 57
Ferromagnetism 115
Field cooled 334
Film stress 109
Film texture 109
Finite element analysis 346, 360
Flux estimation 355
FMR absorption 57
Full-Heusler alloys 269
Fumed silica 170

GeMn semiconductors 385
Giant magnetoresistance 100
Giant magnetostriction 44
Glass-forming ability 156
GMR 32, 219
Grain boundary 291

Half-metals 269, 283
Hall effect 369
Hall effect sensor 307
Hard magnet 206
Hard magnetic materials 174
Hard push 342
High coercivity 211
$Ho_3Fe_{29-x}T_x$ 206
Hot-filament chemical vapor deposition 61
Hyperfine field fluctuation 295
Hysteresis 131
Hysteresis curve 28

Impedance analysis 291
Impedance spectroscopy 88, 283
Interfaces 248
IPM and SPM synchronous motor 360
Iron 1
Iron particle 170

Kerr effect 78

$L1_0$ phase 122
$La_{0.7}Sr_{0.3}MnO_3$ (LSMO) 342
Lanthanum manganites 303
Ll_0 structure 198
Local structure 303
Logic 219
Low writing current 373
Low-field magnetoresistance 291

Maghemite 147
Magnetic anisotropy 28, 73, 202
Magnetic anisotropy field 122
Magnetic correlation 338
Magnetic domains 39
Magnetic encoder 317
Magnetic films 78, 81
Magnetic force microscopy (MFM) 22
Magnetic garnets 256

doi: 10.1016/S0304-8853(04)01002-9

Magnetic hardening 202
Magnetic imaging 369
Magnetic logic gate 380
Magnetic nanoparticle 1
Magnetic nanopillars 264
Magnetic phase 240
Magnetic recording media 105
Magnetic refrigerator 311
Magnetic rings 19
Magnetic semiconductor 163, 216, 240, 244, 385
Magnetic stripe domains 252
Magnetic thin film 49
Magnetic tunnel junctions 232, 269
Magnetic tunneling junction 279
Magnetism 287
Magnetite 92
Magnetization 73, 269
Magnetization reversal 44, 131, 135, 252
Magnetization switching 225
Magnetization—reversal 6
Magneto-optic Kerr effect 69
Magneto-optical effect 92
Magneto-optical Kerr spectrometer 260
Magneto-optics 256
Magnetocaloric effect 151, 311
Magnetocrystalline anisotropy 139
Magnetocurrent 279
Magnetoelastic coupling 139
Magnetoresistance 22, 96, 219, 232, 283, 295, 351
Magnetoresistive random access memory 232
Magnetorheology 170
Magnetostatic interaction 380
Magnetostriction 139
Magnoresistive random access memory 373
MBE 57
Metal-semiconductor thin film 78, 81
MFM 180
MgO 321
Micromagnetic simulation 11, 135, 225, 380
Mn-doped ZnO 115
MnSi 240, 244
Molecular beam epitaxy 73
Monolayered film 122
MR element 317
Mössbauer 166, 295, 321
Mössbauer effect 329
Multilayers 32, 248
Multiwall carbon nanotubes 61

NAND gate 380
Nano magnetics 25
Nano ring 25
Nanocomposite 186
Nanocrystalline alloy 174
Nanocrystalline materials 202
Nanocrystalline structure 44
Nanograins 15
Nanomagnetics 19
Nanoparticles 174, 342
Nanostructure 22
Nanowire 143
Nd–Fe–B magnets 180
Nerve growth factor 325
Neurite outgrowth 325
Neutron reflection—polarized 6
Ni nanowires 28
Nickel–platinum alloys 84
No-load test 355
Nonlinear optics 256
NOR gate 380
Nuclear resonance 329

Optimum exciting current 53
Order parameter 260
Ordered perovskite 295
Ordering transformation 198
Orientation 96

PC12 cells 325
Permalloy film 109
Permalloy ring 351
Permanent magnet 346
Perovskite 299
Perpendicular anisotropy 32
Perpendicular magnetic anisotropy 69
Photoemission electron microscope 49
Photonic crystals 256
Physisorption 342
Piezoelectric nozzle method 147
Pillar write word line 373
Platinum 69
PMSM 355
Point contact 143
Porous alumina film 28
PrFeB 186
Probe layers 329
Pulsed laser ablation 115
Pulsed magnetic field 325
PWM switching 307

Quasiuniform state 11

Rapid thermal annealing 100
Rare earth-iron compounds 206
Recoil line 346
Reluctance-based efficiency control 364
Rotor eccentricity 360

Scanning near-field optical microscopy 252
Scanning probe microscopy 369
Second-harmonic generation 256
Sedimentation 170
Self-assembled nanoparticle 127
Semiconductor 166, 321
Sensor 317
Shape anisotropy 380
Silicide 96
Silver 69
Single crystal 65
Single domain 380
Soft magnetic amorphous systems 174
Soft magnetic properties 156
Sol–gel 291
Sol–gel method 92
Spin cluster 299
Spin glass 299, 334
Spin structure 329
Spin torque 264
Spin transistor 279
Spin valve 100
Spintronics 115, 216
Spintronics materials 244, 385
Spring-exchange multilayers 44
Stoner–Wohlfarth model 135
Strip casting 180
Stripe domain 109
Structures 269
Superparamagnetism 15, 131, 147
Surface magneto-optic Kerr effect 78
Surface magneto-optical Kerr effect 81, 84
Switched reluctance motor 53, 364
Synchrotron radiation 329

Tapping mode 342
Temperature dependence 96
Thermal relaxation 131
Thin films 73, 92, 198, 211
Thin films—ferromagnetic 6
TMR 219, 225
Torque ripple 193
Transition metal 275
Transparent ferromagnet 275
Tunnel magnetoresistance 269

Ultrathin films 39, 84, 105
Ultrathin magnetic films 252
Uniaxial anisotropy 380

Vertical alignment 61
Vortex state 11

Wet chemistry synthesis 151

X-ray magnetic circular dichroism 49
X-ray scattering and absorption 127
XANES 237

Zero field cooled 334
Zinc oxide 275
ZnO 166, 321